GENERAL INDEX

A

Abscission, of bean buds treated with maleic hydrazide 478; of tomato flowers, affected by high temperature, parachlorophenoxyacetic acid spray 449; prevented in tomato blossoms sprayed with 2-naphthoxyacetic acid 312
Adsorption, of copper, zinc, iron, and manganese by citrus roots 426
Agarwal, G. P., Development of female gametophyte and endosperm in Chrozophora rottleri 348
Agrobacterium tumefaciens, virulence as factor in crown-gall morphology 363
Agropyron desertorum, factors affecting summer dormancy 284
Alfalfa, root growth inhibited by coumarin 79
Alkali tolerance of indicator shrubs 143
Allium cepa, cytochemical study of root-tip cells 72; effects of 2,4-D and 2,4,5-T on mitosis 274
Alscher, Ruth P., Chloroplastic structures in the epidermis of spinach leaves 393
Amazon, tree species in forest 467
Amino acids, free, in beet leaves, affected by zinc dimethyldithiocarbamate 248
Aminodimethylaniline monohydrochloride, *p*-, effect on root-tip cells of onion and lily 72
Ampelothamnus phyllireifolius, floral morphology 33
Anatomy, cell-wall structure of apical meristems in Ricinus communis, Vicia faba, Sechium edule, and Zea mays 253, in corn 382; embryology of Macrosolen cochinchinensis 20; floral, of Andromedeae 33, of Gaultheria 198, of Populus 222; of conifer leaves changed by desiccation 189; of ovary wall in fig influenced by growth-regulators 102; of Sequoia sempervirens callus cultures affected by radioisotopes 353; of shoot apex and differentiation of floral parts in rice, influenced by photoperiod 436
Andromeda glaucophylla and A. polifolia, floral morphology 33
Andromedeae, floral morphology 33
Andropogon gerardi, affected by excessive mulch 1; and A. scoparius, distribution in degenerating prairie 397
Anthoceros erectus and A. himalayensis, morphology 371
Anthocerotales, phylogeny 371
Apricot, flower-bud development affected by soil moisture 95
Artemisia tridentata, as indicator shrub 143
Aspen; *see* Populus
Atchison, Earlene, Inhibition of mitosis in bean buds by maleic hydrazide 478
Atriplex confertifolia, as indicator shrub 143
Audrieth, L. F., Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine 292
Auxin; *see* Growth-regulators and Indole-3-acetic acid
Avena, effect of coumarin, o-coumaric acid, and melilotic acid on coleoptile curvature test 79

B

Ball, Ernest, Histological effects of absorbed radioisotopes upon the callus of Sequoia sempervirens 353
Bean, effect of maleic hydrazide on bud inhibition 478, on starch metabolism 480; heat injury of embryo 297; secretion of phosphorylase by embryo 139; translocation of radioactive octamethyl pyrophosphoramide 180; xylem development in stem 243
Beets, sugar, free amino acids in leaves altered by zinc dimethyldithiocarbamate 248
Benzothiazol-2-oxyacetic acid, inducing parthenocarpy in figs 102
Beta; *see* Beets
Biotype characters in Poa pratensis 53
Bis-(bis-dimethylamino)-phosphonous anhydride, translocation in bean 180
Black, G. A., An estimate of the number of species of trees in an Amazonian forest community 467
Blouch, Roger, Free amino acids in sugar-beet leaves altered by zinc dimethyldithiocarbamate 248
Bluegrass, Kentucky, distribution in degenerating prairie 397; polymorphism and character relationships 53
Bluestem, big, affected by excessive mulch 1; distribution in degenerating prairie 397
Bouteloua curtipendula and B. gracilis, distribution in degenerating prairie 397
Brannaman, B. L., Responses of orange and grapefruit trees to maleic hydrazide 122
Branson, Farrel, Quantitative study of degeneration of mixed prairie 397
Braun, Armin C., Bacterial and host factors concerned in determining tumor morphology in crown gall 363
Brazil, tree species in Amazon forest 467
Bromus carinatus, B. catharticus, and B. stamineus, factors affecting summer dormancy 284
Brown, Dillon S., Relation of irrigation practice to the differentiation and development of apricot flower buds 95
Buchloe dactyloides, distribution in degenerating prairie 397

C

Caffeine, effect on root-tip cells of onion and lily 72
Callus, of Sequoia sempervirens grown in vitro affected by P^{32}, S^{35}, C^{14} 353
Carbamates, effect of zinc dimethyldithiocarbamate on beets 248
Carbohydrate metabolism of sunflower affected by potassium deficiency 165
Carbon 14, effect on growth in vitro of Sequoia sempervirens callus 353

Carbonic acid derivatives of hydrazine, fungicidal properties 292
Cassiope hypnoides, C. lycopodioides, C. mertensiana, and C. tetragona, floral morphology 33
Castle, Hempstead, Growth in vitro of excised roots of Equisetum arvense as modified by indole-3-acetic, indole-3-butyric, and α-naphthaleneacetic acids 328; Notes on the development of the gametophyte of Equisetum arvense in sterile media 323
Catalase, activity, in stem tips of hybrid tomato 63, in heat-injured bean embryo 297; distribution in cell fractionation dependent on pH 130
Cation accumulation and exchange in roots 426
Cellulose, in cell-wall structure in apical meristems 382
Chamaedaphne calyculata, floral morphology 33
Cherry, fruit growth affected by night temperature 155
Chlorophenoxy compounds, applied to grapes 107; effects, on tomato fruiting 449, of 2,4-D on growth of cotton plant 461, of 2,4-D and 2,4,5-T on mitosis in Allium cepa 274
Chloroplastic structures in leaf epidermis 393
Chloroplastin, distribution in cell fractionation dependent on pH 130
Chlorosis, acid-soil iron chlorosis, in relation to cation accumulation and exchange in citrus roots in Florida 426
Chou, Yü-Liang, Floral morphology of three species of Gaultheria 198
Chromosomes, fragmentation in root-tip cells of lily and onion after chemical treatment 72; microchromosome, phylogenetic significance in liverworts 371; numbers, in Anthoceros and Notothylas species 371, in Ribes 265; structural effects of 2,4-D and 2,4,5-T 274
Chrozophora rottleri, development of female gametophyte and endosperm 348
Citrus, heavy-metal accumulation by roots 426; orange and grapefruit trees and fruit affected by maleic hydrazide 122; spirality 350
Climax vegetation, changes in prairie degeneration 397
Colchicine, effect on root-tip cells of onion and lily 72
Conifers, leaf desiccation 189
Copper, accumulation in citrus roots, lethal effect on roots 426
Corn, cell-wall structure in apical meristem 253, 382
Cotton, nitrogen and sulfur accumulation under deficiency conditions 417; response, to 2,4-D 461, to maleic hydrazide 114
Cottonwood; *see* Populus
Coumarin and o-coumaric acid inhibiting root growth in sweetclover and alfalfa 79
Crane, Julian C., Ovary-wall development as influenced by growth-regulators inducing parthenocarpy in the Calimyrna fig 102
Croker, Barbara H., Effects of 2,4-dichlorophenoxyacetic acid and 2,4,5-trichlorophenoxyacetic acid on mitosis of Allium cepa 274
Crown gall, factors affecting tumor morphology 363
Cytochemical studies of lily and onion root-tip cells 72
Cytology, effects of 2,4-D and 2,4,5-T on mitosis 274; of Ribes 265

D

2,4-D; *see* Chlorophenoxy compounds and Herbicides
Dactylis glomerata, factors affecting summer dormancy 284
Density, of tree species in Amazonian forest 467
Desert, soil pH and indicator shrubs 143
Desiccation, in conifer leaves 189
Distribution, of tree species in Amazonian forest 467
Dobzhansky, Th., An estimate of the number of species of trees in an Amazonian forest community 467
Dormancy, summer, in perennial grasses 284

E

Eaton, Scott V., Effects of potassium deficiency on growth and metabolism of sunflower plants 165
Ehrharta calycina, factors affecting summer dormancy 284
Elymus glauca, factors affecting summer dormancy 284
Embryo, bean, secretion of phosphorylase 139; heat injury 297
Embryology, of Andromedeae 33; of Chrozophora rottleri 348; of Gaultheria 198; of Macrosolen cochinchinensis 20; of Populus 222
Enkianthus cernuus, floral morphology 33
Enzymes, activity in heat-injured embryos 297; catalase and proteolytic activity in tomato hybrid 63; factors in intracellular localization by cell-fractionation technique 130; secretion of phosphorylase by Red Kidney bean embryo 139
Epidermis, leaf, chloroplastic structures 393
Epigaea repens, floral morphology 33
Equisetum arvense, development of gametophyte in sterile media 323; growth in vitro of excised roots as modified by growth-regulators 328
Ergle, David R., Developmental stages of the cotton plant as related to the effects of 2,4-D 461; Effect of low nitrogen and sulfur supply on their accumulation in the cotton plant 417; Response of the cotton plant to late and localized applications of maleic hydrazide 114
Ericales, floral morphology 33, 198
Erickson, Louis C., Responses of orange and grapefruit trees to maleic hydrazide 122

F

Festuca arundinacea, factors affecting summer dormancy 284
Fig, parthenocarpy induced by growth-regulators 102
Fireman, Milton, Indicator significance of some shrubs in the Escalante Desert, Utah 143
Floral morphology, of Andromedeae 33; of Gaultheria procumbens, G. ovatifolia, and G. shallon 198; of Macrosolen cochinchinensis 20; of Populus deltoides and P. tremuloides 222
Flower-bud development, in apricot, affected by irrigation 95; in rice, affected by photoperiod 436
Forb species shifts in prairie degeneration 397
Fruit, orange and grapefruit, modified by maleic hydrazide sprays 122
Fruit maturation, of sour cherry, affected by night temperature 155

Fruit-set, climatic factors influencing in control and 2NA-treated tomatoes 312; of tomato as affected by high temperature and light intensity 449
Fults, Jess L., Free amino acids in sugar-beet leaves altered by zinc dimethyldithiocarbamate 248
Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine 292
Fungicide, Zerlate (zinc dimethyldithiocarbamate), effect on free amino acids in beet leaves 248

G

Garren, Ralph, Jr., Effects of beta-naphthoxyacetic acid on fruit size in the Marshall strawberry 134
Gaultheria procumbens, G. ovatifolia, and G. shallon, floral morphology 198
Gausman, H. W., Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine 292
Germination, of heat-injured bean embryo 297
Glattfeld, John W. E., Separation of D-glucose from the hydrolysis products of Scenedesmus cells 141
Glucose, separated as D-glucose from hydrolysis products of Scenedesmus cells 141
Glutamic acid, distribution in beets affected by zinc dimethyldithiocarbamate 248
Gossypium; *see* Cotton
Grapefruit trees and fruit, affected by maleic hydrazide 122
Grapes; *see* Vitis
Grass, effect of excessive natural mulch 1; Kentucky blue, interrelations of plant characters 53; perennial, summer dormancy 284; species shifts in prairie degeneration 397
Grassland, native, affected by excessive mulch 1
Grazing, effect on prairie degeneration, species shifts 397
Greasewood, as indicator shrub 143
Greulach, Victor A., Inhibition of mitosis in bean buds by maleic hydrazide 478; Notes on the starch metabolism of plants treated with maleic hydrazide 480
Growth, effects, of excessive natural mulch on native grassland 1, of growth-regulators on cotton 461, excised roots of Equisetum arvense 328, fig 102, grapes 107, heat-injured bean embryos 297, mitosis in onion 274, strawberry fruit 134, tomato 312, 449; effects, of light on heat-injured bean embryos 297, of low nitrogen and sulfur supply on cotton 417, of night temperature on sour cherry fruit 155, of photoperiod on bean stem anatomy 243, rice shoot apex 436, of potassium deficiency on sunflower 165, of soil moisture on apricot flower buds 95, of sucrose-urea spray on tomato 449; factors affecting morphology of crown-gall tumors on tobacco and sunflower 363; inhibition, by maleic hydrazide, of cotton 114, bean buds 478, orange and grapefruit trees and fruit 122, in beet following zinc dimethyldithiocarbamate treatment 248, of fungi by carbonic and thiocarbonic acid derivatives of hydrazine 292, of roots of sweetclover and alfalfa by coumarin, o-coumaric acid, and melilotic acid 79; in vitro, of excised roots of Equisetum arvense 328, of excised tomato roots affected by thiamin, niacin, and pyridoxine 343, of gametophyte of Equisetum arvense 323, of Sequoia sempervirens callus affected by P^{32}, S^{35}, and C^{14} 353; of hybrid tomato 63; of primary cell wall in apical meristem of corn 382
Growth-regulators, effects, of 4-chlorophenoxyacetic acid on grapes 107, on vegetative and fruiting responses of tomato 449, of 2,4-D on development of cotton plant 461, of 2,4-D and 2,4,5-T on mitosis 274, of indole-3-acetic acid on growth of heat-injured bean embryos 297, of indole-3-acetic, indole-3-butyric, and α-naphthaleneacetic acids on growth in vitro of excised roots of Equisetum arvense 328, of 2-naphthoxyacetic acid on setting of parthenocarpic fruit in tomato 312, on strawberry fruit size 134; inducing parthenocarpy in Calimyrna fig 102; inhibition of growth by maleic hydrazide of bean buds 478, of cotton 114, of orange and grapefruit trees and fruit 122

H

Hagen, C. E., Factors in the determination of the intracellular localization of enzymes 130
Hall, Wayne C., Vegetative and fruiting responses of tomatoes to high temperature and light intensity 449
Handoo, O. N., Morphology of Anthoceros erectus and A. himalayensis and the phylogeny of the Anthocerotales 371
Harrimanella stelleriana, floral morphology 33
Hayward, H. E., Indicator significance of some shrubs in the Escalante Desert, Utah 143
Heat injury of bean embryo, relation to light, malformation, respiration, metabolism, permeability, viability, aging 297
Heavy-metal accumulation by citrus roots 426
Helianthus annuus, affected by potassium deficiency 165; crown gall 363
Helminthosporium sativum, test organism for fungicidal properties of derivatives of hydrazine 292
Herbicides; *see* Growth-regulators
Heterosis in tomato 63
Hield, Henry Z., Responses of orange and grapefruit trees to maleic hydrazide 122
Hinderliter, H. R., Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine 292
Hormones; *see* Growth-regulators
Hybrid vigor in tomato 63
Hydrazine, carbonic and thiocarbonic acid derivatives, fungicidal properties correlated with structure 292
Hydrolysis, of Scenedesmus cells, with separation of D-glucose 141
Hydroquinone, effect on root-tip cells of onion and lily 72
8-Hydroxyquinoline, effect on root-tip cells of onion and lily 72

I

Indicator shrubs, for salt and alkali 143
Indole-3-acetic acid, effects, on growth of heat-injured bean embryos 297, on growth in vitro of excised roots of Equisetum arvense 328
Indole-3-butyric acid, effect on growth in vitro of excised roots of Equisetum arvense 328
Insecticides, systemic, translocation in bean 180
Intercellular spaces, in apical meristems 253

Iron, accumulation in citrus roots 426
Irrigation, effects on development of apricot flower buds 95
Isotopes, radioactive, effect of P^{32}, S^{35}, and C^{14} on growth in vitro of Sequoia sempervirens callus 353

J

Johnson, S. P., Vegetative and fruiting responses of tomatoes to high temperature and light intensity 449
Jones, Viron V., Factors in the determination of the intracellular localization of enzymes 130

L

Laude, Horton M., The nature of summer dormancy in perennial grasses 284
Lavin, George I., Chloroplastic structures in the epidermis of spinach leaves 393
Lee, Addison E., Effects of thiamin, niacin, and pyridoxine on interval growth of excised tomato roots in culture 343
Leucothoe axillaris, L. catesbaei, L. racemosa, and L. recurva, floral morphology 33
Lewis, Margaret, Pits, intercellular spaces, and internal "suberization" in the apical meristems of Ricinus communis and other plants 253
Light, effects, on growth in vitro of excised roots of Equisetum arvense 328, on heat-injured bean embryo 297; intensity effects, on parthenocarpy and fruit-set in control and 2NA-treated tomatoes 312, on vegetative and fruiting responses of tomato 449
Lilium tigrinum, cytochemical study of root-tip cells 72
Lolium perenne, factors affecting summer dormancy 284
Loranthaceae, embryology in Macrosolen cochinchinensis 20
Lycopersicon; *see* Tomato
Lyonia ligustrina and L. mariana, floral morphology 33

M

McIlrath, Wayne J., Developmental stages of the cotton plant as related to the effects of 2,4-D 461; Response of the cotton plant to late and localized applications of maleic hydrazide 114
Macrosolen cochinchinensis, embryology 20
Maheshwari, P., Embryology of Macrosolen cochinchinensis 20
Maleic hydrazide, effects, on cotton plant 114, on orange and grapefruit trees and fruit 122, on starch metabolism of bean and tomato plants 480; inhibition of mitosis in bean buds 478
Manganese, accumulation in citrus roots 426
Medicago sativa, root growth inhibited by coumarin 79
Mehra, P. N., Morphology of Anthoceros erectus and A. himalayensis and the phylogeny of the Anthocerotales 371
Meiosis, in Ribes bracteosum, R. cereum, R. divaricatum, R. klamanthense, R. menziesii, R. niveum, R. sanguineum, R. velutinum, R. viscosissimum 265
Melica californica, factors affecting summer dormancy 284
Melilotic acid, inhibiting root growth in sweetclover and alfalfa 79
Melilotus alba, root growth inhibited by coumarin 79
Mericle, Leo W., Cell-wall structure in apical meristems 382
Meristem, apical, cell-wall structure 253, 382
Metabolism, of nitrogen and sulfur in cotton plants deficient in them 417; of sunflower, affected by potassium deficiency 165
Metallic ions, heavy, adsorption by citrus roots 426
Metcalf, Robert L., Translocation of radioactive octamethyl pyrophosphoramide in Black Valentine bean plants 180
Miller, Milton D., Responses of orange and grapefruit trees to maleic hydrazide 122
Mitosis, cytochemical studies of disturbance in lily and onion root-tip cells 72; in Allium cepa, affected by 2,4-D and 2,4,5-T 274; inhibited in bean buds by maleic hydrazide 478
Morphology, of Antheroceros erectus and A. himalayensis 371; comparison of biotypes in Poa pratensis 53
Mulch, excessive, effect on native grassland 1

N

Nagaraj, M., Floral morphology of Populus deltoides and P. tremuloides 222
Naphthaleneacetic acid, alpha, effect on growth in vitro of excised roots of Equisetum arvense 328
Naphthoxyacetic acid, beta, effects, in setting parthenocarpic fruit in tomato 312, on strawberry fruit size 134
Neopieris nitida, floral morphology 33
Niacin, effect on growth of excised tomato roots 343
Nielsen, E. L., Interrelations of selected plant characters in Kentucky bluegrass (Poa pratensis L.) 53
Nitrogen, accumulation in cotton plant under deficiency conditions 417; metabolism of sunflower affected by potassium deficiency 165; relation to heavy-metal accumulation in citrus roots 426

O

Octamethyl pyrophosphoramide, radioactive, translocation in bean 180
Onion; *see* Allium
Orange, heavy-metal accumulation by roots 426; trees and fruit affected by maleic hydrazide 122
Oryzopsis miliacea, factors affecting summer dormancy 284
Osborne, Daphne J., Climatic factors influencing parthenocarpy and normal fruit-set in tomatoes 312
Oxydendrum arboreum, floral morphology 33

P

Palser, Barbara F., Studies of floral morphology in the Ericales. II. Megasporogenesis and megagametophyte development in the Andromedeae 33
Panicum virgatum, affected by excessive mulch 1
Parachlorophenoxyacetic acid, effect on tomato fruiting 449
Parker, Johnson, Desiccation in conifer leaves: anatomical changes and determination of the lethal level 189
Parthenocarpy, effects of climatic factors in control and 2NA-treated tomatoes 312; in Calimyrna fig, induced by growth-regulators 102

Payne, Merle G., Free amino acids in sugar-beet leaves altered by zinc dimethyldithiocarbamate 248
Permeability, altered in heat-injured bean embryos 297
pH, of soil, and indicator shrubs 143
Phalaris tuberosa var. stenoptera, factors affecting summer dormancy 284
Phaseolus; *see* Bean
Phosphorus 32, effect on growth in vitro of Sequoia sempervirens callus 353; used to label octamethyl pyrophosphoramide in translocation study in bean 180
Phosphorylase, secretion by Red Kidney bean embryo 139
Photoperiod, effects, on development of shoot apex in rice 436, on parthenocarpy and fruit-set in control and 2NA-treated tomatoes 312, on stem elongation in bean 243; relative to dormancy in Poa scabrella 284
Phyllotaxy, in Citrus 350
Phylogeny, of Anthocerotales 371
Pieris floribunda and P. japonica, floral morphology 33
Pinus strobus and P. nigra var. austriaca, changes in leaves with desiccation 189
Pires, J. Murça, An estimate of the number of species of trees in an Amazonian forest community 467
Pits, formation and distribution in cell walls of apical meristems 253, 382
Plasmodesmata, in apical meristems 253, 382
Poa pratensis, distribution in degenerating prairie 397; polymorphism and character relationships 53
Poa scabrella, also P. ampla, P. bulbosa, P. compressa, P. nevadensis, P. secunda, factors affecting summer dormancy 284
Pollen viability, in Populus deltoides 222
Poplar; *see* Populus
Population density of tree species in an Amazonian forest 467
Populus deltoides and P. tremuloides, floral morphology 222
Potassium, deficiency effect on sunflower 165
Prairie, affected by excessive mulch 1; quantitative study of degeneration 397
Prairie dropseed, affected by excessive mulch 1
Proteolysis of nitrogen and sulfur compounds in cotton 417
Prunus armeniaca, flower-bud development affected by soil moisture 95
Prunus cerasus, fruit growth affected by night temperature 155
Pyridoxine, effect on growth in culture of excised tomato roots 343
Pyrocatechol, effect on root-tip cells of onion and lily 72
Pyrogallol, effect on root-tip cells of onion and lily 72
Pythium sp., test organism for fungicidal properties of derivatives of hydrazine 292

R

Radioactive compounds, octamethyl pyrophosphoramide, translocation in bean plants 180
Radioactivity, effect of absorbed P^{32}, S^{35}, and C^{14} on growth in vitro of Sequoia sempervirens callus 353
Respiration, of heat-injured bean embryos 297; rate in drying conifer leaves 189
Rhizoctonia sp., test organism for fungicidal properties of derivatives of hydrazine 292
Rhykerd, C. L., Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine 292
Ribes, chromosome numbers, meiosis 265
Rice, effect of photoperiod on development of shoot apex 436
Ricinus communis, cell-wall structure in apical meristem 253
Root-tip cells, lily and onion, cytochemical studies 72
Roots, citrus, heavy-metal accumulation 426; growth in alfalfa and sweetclover inhibited by melilotic acid, o-coumaric acid, and coumarin 79
Rowland, N. W., Effects of excessive natural mulch on development, yield, and structure of native grassland 1

S

Sagebrush, as indicator shrub 143
Salinity, of soils, and distribution of indicator shrubs 143
San Antonio, James P., The role of coumarin in the growth of roots of Melilotus alba 79
Sarcobatus vermiculatus, as indicator shrub 143
Sattler, F. W., Xylem development in young internodes of the Kentucky Wonder bean 243
Scenedesmus, D-glucose separated from hydrolysis products of cells 141
Schroeder, C. A., Spirality in Citrus 350
Scott, E. S., Fungicidal properties of some carbonic and thiocarbonic acid derivatives of hydrazine 292
Scott, Flora Murray, Pits, intercellular spaces, and internal "suberization" in the apical meristems of Ricinus communis and other plants 253
Sechium edule, cell-wall structure in apical meristems 253
Sen, S. P., Studies on the physiology of rice. VI. Effect of photoperiod on development of the shoot apex 436
Sequoia sempervirens, growth of callus in vitro affected by absorbed P^{32}, S^{35}, and C^{14} 353
Shadscale, as indicator shrub 143
Shields, Lora Mangum, Xylem development in young internodes of the Kentucky Wonder bean 243
Siegel, S. M., Effects of exposures of seeds to various physical agents. II. Physiological and chemical aspects of heat injury in the Red Kidney bean embryo 297; Secretion of phosphorylase by Red Kidney bean embryos 139
Singh, Bahadur, Embryology of Macrosolen cochinchinensis 20
Sircar, S. M., Studies on the physiology of rice. VI. Effect of photoperiod on development of the shoot apex 436
Smith, D. C., Interrelations of selected plant characters in Kentucky bluegrass (Poa pratensis L.) 53
Smith, Paul F., Heavy-metal accumulation by citrus roots 426
Soil, acid-soil iron chlorosis, relation to cation accumulation and exchange in citrus roots in Florida 426
Soil moisture, effect on development of apricot flower buds 95; relative to summer dormancy in perennial grasses 284

Soil pH, and indicator shrubs 143
Soil structure, temperature, and water content affected by mulch from native grasses 1
Spinach, chloroplastic structures in leaf epidermis 393
Spirality, in Citrus 350
Sporobolus heterolepis, affected by excessive mulch 1
Sporogenesis, in Gaultheria 198; in Populus 222; in Macrosolen cochinchinensis 20; mega-, in Andromedeae 33
Srivastava, R. K., Development of female gametophyte and endosperm in Chrozophora rottleri 348
Starch metabolism, in bean and tomato plants affected by maleic hydrazide 480
Stipa cernua and S. pulchra, factors affecting summer dormancy 284
Strawberry, fruit size increased by beta-naphthoxyacetic acid 134
Suberin, in cell walls of apical meristems 253
Sulfur, accumulation in cotton plant under deficiency conditions 417
Sulfur 35, effect on growth in vitro of Sequoia sempervirens callus 353
Sunflower, effect of potassium deficiency 165; factors affecting crown-gall tumor morphology 363
Sweetclover, root growth inhibited by coumarin 79
Switchgrass, affected by excessive mulch 1

T

Temperature, effects, on parthenocarpy and fruit-set in control and 2NA-treated tomatoes 312, on vegetative and fruiting responses of tomatoes 449; night, effect on growth of cherry fruit 155; relative to summer dormancy in perennial grasses 284
Tetrazolium chloride test, for viability in desiccated conifer leaves 189
Thiamin, effect on growth in culture of excised tomato roots 343
Thiocarbonic acid derivatives of hydrazine, fungicidal properties 292
Tobacco, factors affecting crown-gall tumor morphology 363
Tomato, climatic factors influencing parthenocarpy and normal fruit-set in control and 2NA-treated plants 312; effects, of maleic hydrazide on starch metabolism 480, of thiamin, niacin, and pyridoxine on excised roots grown in culture 343; hybrid vigor 63; vegetative and fruiting responses to high temperature and light intensity 449
Topography, relation to prairie degeneration 397
Translocation, in bean, of radioactive octamethyl pyrophosphoramide 180
Tropical forest, Amazon, tree species 467
Tukey, Loren D., Effect of night temperature on growth of the fruit of the sour cherry 155
Tulip, blooming after delay in planting 252
Tumors, c-, in roots of onion and lily after colchicine treatment 72; factors affecting morphology of crown gall on tobacco and sunflower 363

V

Vergeer, Teunis, Blooming of Tulipa chrysantha after delay in planting 252
Viability, of desiccated conifer leaves 189; of heat-injured bean embryos 297; reduced in cotton seed from maleic hydrazide treated plants 114
Vicia faba, cell-wall structure in apical meristem 253
Vitamins, effects of thiamin, niacin, and pyridoxine on excised tomato roots grown in culture 343
Vitis, treated with 4-chlorophenoxyacetic acid 107

W

Water retention by conifer leaves 189
Weaver, J. E., Effects of excessive natural mulch on development, yield, and structure of native grassland 1; Quantitative study of degeneration of mixed prairie 397
Weaver, Robert J., Response of Black Corinth grapes to applications of 4-chlorophenoxyacetic acid 107
Wedding, Randolph T., Translocation of radioactive octamethyl pyrophosphoramide in Black Valentine bean plants 180
Went, F. W., Climatic factors influencing parthenocarpy and normal fruit-set in tomatoes 312
Whaley, W. Gordon, Cell-wall structure in apical meristems 382; Effects of thiamin, niacin, and pyridoxine on interval growth of excised tomato roots in culture 343; Hybrid vigor in a tomato cross 63

X

Xolisma fruticosa, floral morphology 33
Xylem, development in bean stem 243

Y

Yakar, Nebahat, Cytochemical studies on pycnotic root-tip cells 72

Z

Zea mays, cell-wall structure in apical meristem 253, 382
Zerlate; *see* Zinc dimethyldithiocarbamate
Zielinski, Quentin B., Chromosome numbers and meiotic studies in Ribes 265; Effects of beta-naphthoxyacetic acid on fruit size in the Marshall strawberry 134
Zinc, accumulation in citrus roots 426
Zinc dimethyldithiocarbamate, effect on amino acids in sugar-beet leaves 248